

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	270	(receive with data with indexing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/08 18:03
L4	9	(receive with data with indexing) with receiver	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/08 18:04
L5	48	(receive near data with indexing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/08 18:20
L6	28	(receive near data with indexing) and buffer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/08 18:04
L7	22	(receive near data with indexing) and buffer and cache	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/08 18:05
L14	6107	(index near register)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/08 18:20
L15	12	(index near register) with data near object\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/08 18:46
L16	342	(index near receiver\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/08 18:46

EAST Search History

L17	71	(indexing near receiver\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/08 18:46
L18	2	(indexing near receiver\$1) and cache	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/08 18:47
L19	41	(indexing adj receiver\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/08 18:48
L20	2	(index\$3 adj receiver\$1) and (data near object\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/08 19:02
L27	222	(indexer) and (data near object\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/08 19:02
L28	10	(indexer) with (data near object\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/08 19:09
L29	242	(indexer) with storage	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/08 19:10
L30	13	(indexer) with storage with receive	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/08 19:10

EAST Search History

S82	270966	((stor\$3 with data with receiv\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 17:10
S83	30335	((stor\$3 with data with receiver\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 17:10
S84	593	((stor\$3 with data with receiver\$1)) and (signal\$1 with busy)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 17:12
S85	8	((stor\$3 with data with receiver\$1)) and (signal\$1 with busy) and (busy with receiver\$1) and (free with receiver\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 17:12
S86	6	((stor\$3 with data with receiver\$1)) and (signal\$1 with busy) and (busy with receiver\$1) and (free with receiver\$1) and buffer\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 17:13
S87	7	("20030163473" "5799151" "5987454" "6035294" "6195652" "6243699").PN. OR ("6735604"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/06/07 18:00
S88	1	("6735604").PN.	USPAT; USOCR	OR	OFF	2007/06/07 18:58
S89	339	(711/149).CCLS.	USPAT; USOCR	OR	OFF	2007/06/07 18:58
S90	0	S89 and (dualport and multiport)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/07 19:04
S91	45	S89 and (dualport or multiport)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/07 19:05

EAST Search History

S92	33	S89 and (dualport or multiport) and (free or available)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/07 19:09
S93	15157	(data near storage) with (queue or buffer\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/07 19:09
S94	2790	(data near storage) with (queue or buffer\$1) and index\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/07 19:10
S95	497	(data near storage) with (queue or buffer\$1) and index\$3 and busy	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/07 19:10
S96	430	(data near storage) with (queue or buffer\$1) and index\$3 and busy and (full or empty)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/07 19:10
S97	56	(data near storage) with (queue or buffer\$1) and index\$3 and (storage with busy) and (full or empty)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/07 19:14
S98	0	(data near storage) with (queue or buffer\$1) and index\$3 and (storage with busy) and (sotrage with (full or empty))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/07 19:13